



**LISTA DE PRECIOS PARA VENTILADORES AXIALES PREFRÍOS**

**MOTOR ABB 4POLOS IP55 AISLACION F 380/3/50 Condiciones: 0°C 500 m.s.n.m.**

MODELO	Ángulo Aspa	Presión mm c.a.	Caudal m³/h	Marco mm	Potencia HP	Velocidad RPM			
WF705/12-12/P4ZL/PAG	35°	30	17.600	850 x 850	5,5	1430			
		35	15.830						
		40	13.000						
	37,5°	30	19.200						
		35	17.300						
		40	14.600						
	40°	30	20.700						
		35	18.780						
		40	15.600						
WF790/12-12/P4ZL/PAG	32,5°	30	23.300	970 x 970	5,5	1430			
		35	21.500						
		40	19.300						
	35°	30	25.530		970 x 970	7,5	1430		
		35	23.720						
		40	21.360						
	37,5°	35	25.850						
		40	23.450						
		45	20.200						
WF790/12-12/P5ZL/PAG	32,5°	35	22.380	970 x 970	7,5	1430			
		40	20.800						
		45	18.700						
	35°	35	24.600						
		40	22.890						
		45	21.150						
	40°	35	29.260				970 x 970	10	1440
		40	27.480						
		45	25.240						

**LISTA DE PRECIOS PARA VENTILADORES AXIALES PREFRÍOS**

**MOTOR ABB 4POLOS IP55 AISLACION F 380/3/50 Condiciones: 0°C 500 m.s.n.m.**

<b>WF905/12-12/P4ZL/PAG</b>	30°	35	28.850	1070 x 1070	7,5	1430	
		40	27.000				
		45	24.650				
			35	36.500	1070 x 1070	10	1440
			40	34.200			
			45	31.440			
			35	43.500	1070x 1070	15	1460
			40	41.300			
			45	38.700			
<b>WF990/9-9/P5ZL/PAG</b>	32,5°	35	36.200	1170 x 1170	10	1440	
		40	33.600				
		45	29.820				
	37,5°		35	46.700	1170 x 1170	15	1460
			40	44.200			
			45	41.320			
	40°		35	51.270			
			40	48.650			
			45	45.800			
<b>WF990/12-12/P5ZL/PAG</b>	35°	35	46.850	1170 x 1170	15	1460	
		40	45.000				
		45	42.800				
	37,5°		35	51.700	1170 x 1170	20	1460
			40	49.730			
			45	47.520			
	40°		35	56.550			
			40	54.430			
			45	52.300			

**LISTA DE PRECIOS PARA VENTILADORES AXIALES PREFRÍOS**

**MOTOR ABB 4POLOS IP55 AISLACION F 380/3/50 Condiciones: 0°C 0 m.s.n.m.**

MODELO	Ángulo Aspa	Presión mm c.a.	Caudal m³/h	Marco mm	Potencia HP	Velocidad RPM
WF705/12-12/P4ZL/PAG	35°	30	18.250	850 x 850	5,5	1430
		35	16.750			
		40	14.600			
	37,5°	25	21.100			
		35	15.220			
		40	16.000			
	40°	30	21.340			
		35	19.650			
		40	17.520			
WF790/12-12/P4ZL/PAG	32,5°	35	22.250	970 x 970	5,5	1430
		40	20.400			
		45	17.850			
	35°	35	24.500			
		40	22.560			
		45	20.070			
	37,5°	35	26.890			
		40	24.700			
		45	22.150			
WF790/12-12/P5ZL/PAG	32,5°	35	22.990	970 x 970	7,5	1430
		40	21.570			
		45	20.000			
	35°	35	25.250			
		40	23.700			
		45	22.120			
	40°	35	29.950	970 x 970	10	1440
		40	28.350			
		45	26.500			

**LISTA DE PRECIOS PARA VENTILADORES AXIALES PREFRÍOS**

**MOTOR ABB 4POLOS IP55 AISLACION F 380/3/50 Condiciones: 0°C 0 m.s.n.m.**

<b>WF905/12-12/P4ZL/PAG</b>	30°	35	29.550	1070 x 1070	7,5	1430
		40	27.900			
		45	26.000			
	35°	35	37.350	1070 x 1070	10	1440
		40	35.480			
		45	32.940			
	40°	35	44.400	1070 x 1070	15	1460
		40	42.500			
		45	40.100			
<b>WF990/9-9/P5ZL/PAG</b>	32,5°	35	37.130	1170 x 1170	10	1440
		40	35.070			
		45	32.300			
	37,5°	35	47.650	1170 x 1170	15	1460
		40	45.450			
		45	43.050			
	40°	30	54.350	1170 x 1170	15	1460
	40°	35	52.200			
		40	49.900			
		45	47.440			
<b>WF990/12-12/P5ZL/PAG</b>	35°	35	47.650	1170 x 1170	15	1460
		40	45.930			
		45	44.150			
	37,5°	35	52.500	1170 x 1170	20	1460
		40	50.680			
		45	48.800			
	40°	35	57.420	1170 x 1170	20	1460
		40	55.500			
		45	53.500			